- SITE (to distinguish the location where the data are recorded) and SUBJECT (to distinguish the patient/study participant)

INTERNATIONAL SPINAL CORD INJURY DATA SETS

BOWEL FUNCTION EXTENDED SCI DATA SET – DATA FORM

Date of data collection: YYYYMMDD BFXNEXDT								
Duration of constipation: CONSTDUR ☐ Less than a year ☐ 1-5 years ☐ 6-10 years ☐ 11-20 years ☐ More than 20 years ☐ Not applicable ☐ Unknown								
Unsuccessful attempts at defecation (within the last three months): □□ Never □ Less than once per month □ Less than once per week but at least once per month □ Once or more per week but not every day □ 1-3 per day □ 4-6 per day □ 7-9 per day □ 10 times or more per day □ Not applicable □ Unknown								
Incomplete rectal emptying after defecation (within the last three months): RECEMPIC □ Daily □ Not every day but at least once per week □ Not every week but at least once per month □ Less than once per month □ Never □ Not applicable □ Unknown								
Abdominal bloating (within the last three months): Daily Not every day but at least once per week Not every week but at least once per month Less than once per month Never Unknown								
Abdominal pain/discomfort (within the last three months): Daily Not every day but at least once per week Not every week but at least once per month Less than once per month Never Unknown								
Any respiratory discomfort (shortness of breath/difficulty in taking a deep breath) considered to be entirely or partly due to a distended abdomen (within the last three months): Daily Not every day but at least once per week Not every week but at least once per month								
□ Less than once per month □ Never □ Not applicable □ Unknown Perianal pain during defecation (within the last three months): □ Daily □ Not every day but at least once per week □ Not every week but at least once per month □ Less than once per month □ Never □ Not applicable □ Unknown								

		ncontinence (within the day but at least once per		s): FLINCFRQ
	-	nore than once per mont		
	☐ Once per month	☐ Less than once per n		ever
	□ Not applicable	☐ Unknown		
	Eroguanov of incontin	anno to liquid atoolo (within the loot the	oo manthali I SINCERO
	☐ Two or more episode			ee months): LSINCFRQ
	□ Not every day but at		шу	
		nore than once per mont	h	
	☐ Once per month	Less than once per mont		aver.
	□ Not applicable	☐ Unknown		5761
	1 Not applicable	□ OHRHOWH		
	•	nence to <i>solid</i> stools (w		e months): SSINCFRQ
	☐ Two or more episode	. ,	ily	
	☐ Not every day but at	-		
		nore than once per mont		
	□ Once per month	☐ Less than once per n	nonth 🗆 Ne	ever
	□ Not applicable	☐ Unknown		
	Ability to defer defeca	ation for 15 minutes or	more (within the	last three months): DEFERDEF
	□ Yes □ No	□ Not applicable	☐ Unknown	
	Position for bowel ca	re (within the last three	months)	
	□ Bed BCBED	☐ Toilet chair/Comm	CCOMMOD R	aised toilet seat BCRAISED
	☐ Conventional toilet	☐ Other, specify BCPC	THSP	Unknown
	BCTOILET	BCPOTHER		= •
	Degree of independer	ncy during bowel mana	gement (within th	e last three months):
	☐ Requires total assista	ance 🛛 Requires partia	I assistance; does	not clean self BMNGINDP
	☐ Requires partial assis	stance; cleans self indep	endently	
	☐ Uses toilet independent	ently in all tasks but nee	ds adaptive device	es or special setting (e.g.
	bars)			
	☐ Uses toilet independe	ently; does not need ada	ptive devices or sp	ecial setting
	Unknown	DOGAGTDO		
BCDIGI	• • • • • • • • • • • • • • • • • • •	BCGASTRO		
	4	s (within the last three		146646
	Digital stimulation or		DOFOTILE	ASSAG
	☐ Gastrocolonic respon			or
	□ None	☐ Unknown BCFOT	HEK	

Events and intervals of defecation (1): Average time from initiation of bowel care to stool comes out (within the last three months): DEFINTR1
minute(s) □ Not applicable □ Unknown
Events and intervals of defecation (2): Average time during bowel movement that stool intermittently or continuously comes out with or without assistance (within the last three months): DEFINTR2
minute(s)
□ Not applicable □ Unknown
Events and intervals of defecation (3): Average time spent waiting after last stool passes before ending bowel care (within the last three months): DEFINTR3
minute(s)
□ Not applicable □ Unknown
Lifestyle alteration due to anal incontinence (within the last three months): LFANLINC □ Lifestyle altered each day □ Lifestyle altered at least once per week but not every day □ Lifestyle altered more than once per month but not every week □ Lifestyle altered once per month □ Lifestyle altered less than once per month □ Life style not altered □ Not applicable □ Unknown
Lifestyle alteration due to constipation (within the last three months): LFACONST □ Lifestyle altered each day □ Lifestyle altered at least once per week but not every day □ Lifestyle altered more than once per month but not every week □ Lifestyle altered once per month □ Lifestyle altered less than once per month □ Life style not altered □ Not applicable □ Unknown
Self reported impact on quality of life due to bowel dysfunction: Major impact

To be collected after physical examination: ANALTONE Anal tone: □ Normal □ Reduced □ Excessive □ Not applicable □ Not tested ANALCNTR **Voluntary contraction of the anal canal:** ☐ Yes □ No ☐ Not tested □ Not applicable To be collected after X-ray investigation: **Total Gastrointestinal or Colonic Transit Time:** TCOTRNHR □ Not tested _____days _____ hours Right Colonic Transit Time: ____days _____ hours □ Not tested RCOTRNHR **Left Colonic Transit Time:** ____days _____ hours LCOTRNHR

□ Not tested

r Toposeu o Ci				I				
Data Element	Site	Subject	Date of data collection	Duration of constipation	Unsuccessful attempts at defecation (within the last three months)	Incomplete rectal emptying after defecation (within the last three months)	Abdominal bloating (within the last three months)	Abdominal pain/discomfort (within the last three months)
Format/ Codes				Less than a year 1-5 years 6-10 years 11-20 years More than 20 years Not applicable Unknown	at least once per month	Daily Not every day but at least once per week Not every week but at least once per month Less than once per month Never Not applicable Unknown	Daily Not every day but at least once per week Not every week but at least once per month Less than once per month Never Unknown	Daily Not every day but at least once per week Not every week but at least once per month Less than once per month Never Unknown
8 Character Variable	SITE	SUBJECT	BFXNEXDT	CONSTDUR	DEFUNSUC	RECEMPIC	ABBLOATG	ABPNDCMF

Data Element	Site	Subject	Any respiratory discomfort (shortness of breath/difficulty in taking a deep breath) considered to be entirely or partly due to a distended abdomen (within the last three months weeks)	Perianal pain during defecation (within the last three months)	Frequency of flatus incontinence (within the last three months)	Frequency of fecal incontinence to liquid stools (within the last three months)	Frequency of fecal incontinence to solid stools (within the last three months)
Format/ Codes 8 Character			Not every day but at least once per week Not every week but at least once per month Less than once per month Never	Not every day but at least once per week Not every week but at least once per month Less than once per month Never	Daily Not every day but at least once per week Not every week but more than once per month Once per month Less than once per month Never	Once daily Not every day but at least once per week Not every week but more than once per month	Two or more episodes per day Once daily Not every day but at least once per week Not every week but more than once per month Once per month Less than once per month Never Not applicable Unknown
8 Character Variable	SITE	SUBJECT	RESPDCMF	PANLPN	FLINCFRQ	LSINCFRQ	SSINCFRQ

Bowel Fxn Ext Revised 8char

Proposed 8 Ch	Proposed 8 Character Variables:				Position for bowel care					
Data Element Format/ Codes 8 Character	Site	Subject	Ability to defer defecation for 15 minutes or more (within the last three months) Yes No Not applicable Unknown	Position for bowel care - Bed	Position for bowel care - Toilet chair/ Commode	Position for bowel care - Raised toilet seat	Position for bowel care - Conventional toilet	Position for bowel care - Other	Position for bowel care - Other, specify	
Variable	SITE	SUBJECT	DEFERDEF	BCBED	BCCOMMOD	BCRAISED	BCTOILET	BCPOTHER	BCPOTHSP	

Bowel Fxn Ext Revised 8char

Proposed 8 Character Variables:			Bowel care facilitators						
Data			Degree of independence during bowel management (within the last three	Bowel care facilitators - Digital stimulation or	Bowel care facilitators - Abdominal	Bowel care facilitators - Gastrocolonic	Bowel care facilitators -	Bowel care facilitators -	Events and intervals of defecation (1): Average time from initiation of bowel care to first stool coming out (within the last
Element	Site	Subject	months)	evacuation	massage	response	Other	Other, specify	three months)
Format/			Requires total assistance; Requires partial assistance, does not clean self; Requires partial assistance, cleans self independently; Uses toilet independently in all tasks but needs adaptive devices or special setting (e.g. bars); Uses toilet independently, does not need adaptive devices			·			
Codes			or special setting; Unknown	No; Yes; Unknown	No: Ves: Unknown	No; Yes; Unknown	No; Yes		9898 = Not applicable; 9999 = Unknown
8 Character			OHKHOWH	ivo, res, olikilowii	ino, res, olikilowii	ino, res, olikilowii	NO, TES		5555 - UIIKIIUWII
Variable	SITE	SUBJECT	BMNGINDP	BCDIGIT	BCMASSAG	BCGASTRO	BCFOTHER	BCFOTHSP	DEFINTR1

· ·		T					
Data Element	Site	Subject	Events and intervals of defecation (2): Average time during bowel movement that stool intermittently or continuously (in the case of a single defecation) comes out with or without assistance (within the last three months)	Events and intervals of defecation (3): Average time spent waiting after last stool passes before ending bowel care (within the last three months)	Lifestyle alteration due to anal incontinence (within the last three months)	Lifestyle alteration due to constipation (within the last three months)	Self reported impact on quality of life caused by neurogenic bowel dysfunction
Format/ Codes			9898 = Not applicable; 9999 = Unknown		Lifestyle altered each day Lifestyle altered at least once per week but not every day Lifestyle altered more than once per month but not every week Lifestyle altered once per month Lifestyle altered less than once per month Life style not altered Not applicable Unknown	Lifestyle altered each day Lifestyle altered at least once per week but not every day Lifestyle altered more than once per month but not every week Lifestyle altered once per month Lifestyle altered less than once per month Life style not altered Not applicable Unknown	Major impact Some impact Little impact No impact Unknown
8 Character Variable	SITE	SUBJECT	DEFINTR2	DEFINTR3	LFANLINC	LFACONST	BDFXNQOL

Data Element	Site		Anal tone Normal Reduced	Voluntary contraction of the anal canal	Total Gastrointestinal or Colonic Transit Time - in hours	Right Colonic Transit Time - in hours	Left Colonic Transit Time - in hours
Format/			Reduced Excessive Not tested	No Not tested			
Codes			Not applicable	Not applicable	9999 = Not tested	9999 = Not tested	9999 = Not tested
8 Character Variable	SITE	SUBJECT	ANALTONE	ANALCNTR	TCOTRNHR	RCOTRNHR	LCOTRNHR