

Note: It is recommended that this Data Set have two additional key variables:  
- SITE (to distinguish the location where the data are recorded) and  
- SUBJECT (to distinguish the patient/study participant)

Table #1 and 2

## International Spinal Cord Injury – Spinal Column Injury Basic Data Set Form

Penetrating/blunt injury  INJRMECH  Blunt  Penetrating  Unknown

Table #1

Spinal column injury  SPNCLINJ  No  Yes  Unknown

Single or multiple spinal column level injury (-ies)  NOINJLVL  
 Single  Multiple  Unknown

Table #2

**Spinal Column Injury (one to be filled in for each level of injury, starting with the most cephalic injury):**

Spinal column injury number

-----  SPNINJNO

Spinal column injury level

-----  SPNINLVL

vC00-vC07 - Cervical (C0-C7)

vT01-vT12 - Thoracic (T1-T12)

vL01-vL05 - Lumbar (L1-5)

vS01 – vS05 - Sacrum (S1-5)

vC99 – Unknown Cervical (C0-C7)

vT99 – Unknown Thoracic (T1-T12)

vL99 – Unknown Lumbar (L1-L5)

vS99 – Unknown Sacral (S1-S5)

vX99 - Unknown level

Disc / Posterior ligamentous complex injury  DISCLINJ  
 No  Yes  Unknown

Traumatic translation  TRTRANSL  No  Yes  Unknown

Spinal Column Injury Basic Data Set

Proposed 8 Character Variables:								
Data Element	Site	Subject	Date of data collection	Penetrating/ blunt injury?	Spinal column injury?	Single or multiple spinal column level injury (-ies)?	Spinal Column Injury Number	Spinal Column Injury Level
Format/Codes			NOT COLLECTED	0 = Blunt; 1 = Penetrating; 9 = Unknown	0 = No; 1 = Yes 9 = Unknown	0 = Single; 1 = Multiple; 9 = Unknown	1; 2; 3; 4; 5	0 = vC00-vC07 - Cervical (C0-C7); 1 = vT01-vT12 - Thoracic (T1-T12); 2 = vL01-vL05 - Lumbar (L1-5); 3 = vS01-vS05 - Sacrum (S1-5); 4 = vC99 - Unknown Cervical (C0-C7); 5 = vT99 - Unknown Thoracic (T1-T12); 6 = vL99 - Unknown Lumbar (L1-L5); 7 = vS99 - Unknown Sacral (S1-S5); 8 = vx99 - Unknown level
Table	1 and 2	1 and 2	N/A	1	1	1	2	2
8 Character Variable	SITE	SUBJECT	N/A	INJRMECH	SPNCLINJ	NOINJLVL	SPNINJNO	SPINLVL
Comments/Suggested Revisions	KEY- Must be included in Table 1 and Table 2	KEY- Must be included in Table 1 and Table 2	Date of collection is not collected because assessing the spinal column injury is only done once and when it is assessed (beginning, middle, end of study) does not matter, therefore date of collection is not needed.				Record the injury number if 2 or more injuries were experienced. Check against single/multiple variable to ensure only one record exists if Single was checked, and 2 or more records exist if Multiple was checked.	Record for each level of injury, starting with the most cephalic, if there are multiple injuries. Check against single/multiple variable to ensure only one record exists if Single was checked, and 2 or more records exist if Multiple was checked. C0 refers to occiput.

Spinal Column Injury Basic Data Set

<b>Proposed 8 Character Variables:</b>					
<b>Data Element</b>	Site	Subject	Date of data collection	Disc/Posterior ligamentous complex injury?	Traumatic translation
<b>Format/Codes</b>			NOT COLLECTED	0 = No; 1 = Yes 9 = Unknown	0 = No; 1 = Yes 9 = Unknown
<b>Table</b>	1 and 2	1 and 2	N/A	2	2
<b>8 Character Variable</b>	SITE	SUBJECT	N/A	DISCLINJ	TRTRANSL
<b>Comments/Suggested Revisions</b>	<b>KEY-</b> Must be included in Table 1 and Table 2	<b>KEY-</b> Must be included in Table 1 and Table 2	Date of collection is not collected because assessing the spinal column injury is only done once and when it is assessed (beginning, middle, end of study) does not matter, therefore date of collection is not needed.	Record for each level of injury, starting with the most cephalic, if there are multiple injuries. Check against single/multiple variable to ensure only one record exists if Single was checked, and 2 or more records exist if Multiple was checked.	Record for each level of injury, starting with the most cephalic, if there are multiple injuries. Check against single/multiple variable to ensure only one record exists if Single was checked, and 2 or more records exist if Multiple was checked.