

Note: It is recommended that this Data Set have two additional key variables:
- SITE (to distinguish the location where the data are recorded) and
- SUBJECT (to distinguish the patient/study participant)

INTERNATIONAL SPINAL CORD INJURY PAIN EXTENDED DATA SET (Version 1.0)

1. Pain Symptoms

TABLE 1

Note: This is inclusive of all pain experienced

Date for collection of data

YYYY.MM.DD

PAINEXDT

A. Overall pain

Number of days with pain in the last 7 days including today

None 1 2 3 4 5 6 7 Unknown

PNDAYNO

Worst pain intensity in the last week

0 = no pain; 10 = the most intense pain imaginable

0 1 2 3 4 5 6 7 8 9 10

PNINWEEK

Average pain unpleasantness in the last week

0 = not at all unpleasant; 10 = the most unpleasant pain imaginable

0 1 2 3 4 5 6 7 8 9 10

PNAVUNPL

Number of days with manageable/tolerable pain in the last 7 days including today

None 1 2 3 4 5 6 7 Unknown

PNMGDNO

B. Worst pain problem (#1)

TABLE 2

Please note that if there is more than one pain, this section should be consistent with the International Spinal Cord Injury Pain Basic Data Set and apply to Worst, 2nd Worst and 3rd Worst pains.

Date for collection of data

YYYY.MM.DD

PAINEXDT

Worst pain #1:

WRSTPAIN

Pain intensity in the present moment

0 = no pain; 10 = the most intense pain imaginable:

0 1 2 3 4 5 6 7 8 9 10

WPNINTPR

How long does your pain usually last?

<1 min; > 1 min but < 1 hr; >1hr but < 24hrs; constant or continuous; Unknown

WPNDUR

When during the day is the pain the most intense?

Morning (06.01-12:00)

afternoon (12.01-18:00)

evening (18.01-24.00)

night (00.01-06.00)

unpredictable (pain is not consistently more intense at any one time of day)

WPNTIME

TABLE 2

C. Second worst pain problem (#2)

Please note that this section should only be completed if there is a pain problem in addition to the Worst Pain Problem documented in the previous section.

Second worse pain #2:

2WSTPAIN

Pain intensity in the present moment

0 = no pain; 10 = the most intense pain imaginable:

0 1 2 3 4 5 6 7 8 9 10

2NDINTPR

How long does your pain usually last?

<1 min; > 1 min but < 1 hr; >1hr but < 24hrs; constant or continuous; Unknown

2NDDUR

When during the day is the pain the most intense?

Morning (06.01-12:00)

afternoon (12.01-18:00)

evening (18.01-24.00)

night (00.01-06.00)

unpredictable (pain is not consistently more intense at any one time of day)

2NDTIME

A. Third pain problem (#3)

Please note that this section should be completed only if there are two other pain problems documented in the previous sections.

TABLE 2

Please note that this section should be completed only if there are two other pain problems documented in the previous sections.

Third worse pain #3:

3WSTPAIN

Pain intensity in the present moment

0 = no pain; 10 = the most intense pain imaginable:

0 1 2 3 4 5 6 7 8 9 10

3RDINTPR

How long does your pain usually last?

<1 min; > 1 min but < 1 hr; >1hr but < 24hrs; constant or continuous; Unknown

3RDDUR

When during the day is the pain the most intense?

Morning (06.01-12:00)

afternoon (12.01-18:00)

evening (18.01-24.00)

night (00.01-06.00)

unpredictable (pain is not consistently more intense at any one time of day)

3RDTIME

TABLE 3

2. Sensory Assessment

The sensory bedside assessment includes abnormal responses to light touch, pinprick and cold sensation compared with a non-affected control area above the level of injury. The sensory measures were intentionally selected to be appropriate for bedside examination and to detect and quantify sensory abnormalities: mechanical allodynia (pain in response to an innocuous mechanical stimulus), mechanical hyperalgesia (exaggerated response to a painful mechanical stimulus) and thermal allodynia (pain in response to an innocuous thermal stimulus) commonly associated with neuropathic pain types.

Date for collection of data

YYYY.MM.DD

PAINEXDT

A. Dynamic light touch

DLTANRM At level of injury **DLTAHYPO** **DLTAHYPR** **DLTAALLO**
 Normal
DLTAABS Absent Hypoesthesia Hyperesthesia Allodynia Other _____ **DLTAOTHR**
 If allodynia, rate the intensity: 0 1 2 3 4 5 6 7 8 9 10 **DLTASP**

DLTBNRM Below level of injury **DLTAINTA** **DLTBHYPO** **DLTBHYPR** **DLTBALLO**
 Normal
DLTBABS Absent Hypoesthesia Hyperesthesia Allodynia Other _____ **DLTBOTHR**
 If allodynia, rate the intensity: 0 1 2 3 4 5 6 7 8 9 10 **DLTBSP**

DLTBINTA
Notes: Left or right side can be noted here **DLTLAT**

B. Pinprick

PPANRM At level of injury **PPAHYPOA** **PPAHYPR** **PPAOTH**
 Normal
PPAABS Absent Hypoalgesia Hyperalgesia Other _____ **PPASP**
 If hyperalgesia, rate the intensity: 0 1 2 3 4 5 6 7 8 9 10

PPAINTHR
 Below level of injury
PPBNRM Normal **PPBHYPOA** **PPBHYPR** **PPBOTH**
 Absent Hypoalgesia Hyperalgesia Other _____ **PPBSP**
 If hyperalgesia, rate the intensity: 0 1 2 3 4 5 6 7 8 9 10

PPBINTHR
Notes: Left or right side can be noted here **PPLAT**

C. Cold

CLDANRM At level of injury **CLDAHYP** **CLDAHYP** **CLDAALLO**
 Normal
CLDAABS Absent Hypoesthesia Hyperesthesia Allodynia Other _____ **CLDAOTHR**
 If allodynia, rate the intensity: 0 1 2 3 4 5 6 7 8 9 10 **CLDASP**

CLDAINTA
 Below level of injury
CLDBNRM Normal **CLDBHYPO** **CLDBHYPR** **CLDBALLO**
 Absent Hypoesthesia Hyperesthesia Allodynia Other _____ **CLDBOTHR**
 If allodynia, rate the intensity: 0 1 2 3 4 5 6 7 8 9 10 **CLDBSP**

CLDBINTA
Notes: Left or right side can be noted here **CLDLAT**

3. Treatments

A. Past treatments

This section can either be filled out for overall pain or for each separate pain component (Overall, Worst, 2nd Worst, 3rd Worst). Please indicate previous treatments (over the last 12 months) and whether the treatment was helpful with Y (yes, helpful), N (Not helpful) or U (Uncertain/Unknown). Leave blank if treatment was not performed.

Date for collection of data		YYYY.MM.DD		PAINEXDT	TABLE 4
Physiotherapy	Overall Pain	Worst	2 nd Worst	3 rd Worst	
Aerobic Exercise	OPAEROEX	WPAEROEX	2PAEROEX	3PAEROEX	
Passive exercise	OPPASSEX	WPPASSEX	2PPASSEX	3PPASSEX	
Resistance exercise	OPRESEX	WPRESEX	2PRESEX	3PRESEX	
Position adjustment	OPPOSADJ	WPPOSADJ	2PPOSADJ	3PPOSADJ	
Joint mobilization / manipulation	OPJTMOBP	WPJTMOBP	2PJTMOBP	3PJTMOBP	
Other, specify	OPPHOTH	WPPHOTH	2PPHOTH	3PPHOTH	
	OPPHSP	WPPHSP	2PPHSP	3PPHSP	

Aerobic exercise: low to moderate intensity
 Passive exercise: non-weight-bearing or against resistance, e.g., stretching
 Resistance exercise: strength building, e.g., weight training
 Position adjustment: in wheelchair, bed, etc.
 Joint mobilization/manipulation: including chiropractic, osteopathic

Date for collection of data		YYYY.MM.DD		PAINEXDT	TABLE 5
Passive and stimulation therapy	Overall pain	Worst	2 nd Worst	3 rd Worst	
Massage	OPMASSG	WPMASSG	2WMASSG	3WMASSG	
Acupressure	OPACPRS	WACPRS	2WACPRS	3WACPRS	
TES, TNS, TENS	OPTENS	WTENS	2WTENS	3WTENS	
Ultrasound	OPULTRSN	WULTRSN	2WULTRSN	3WULTRSN	
Laser	OPLASER	WLASER	2WLASER	3WLASER	
Heat therapy	OPHTHRP	WHTHRP	2WHTHRP	3WHTHRP	
Other, specify	OPASOTH	WPASOTH	2WPASOTH	3WPASOTH	
	OPASSP	WPASSP	2WPASSP	3WPASSP	

TES/TNS/TENS: Transcutaneous electrical nerve stimulation
 Heat therapy: including heat-packs, shortwave

Date for collection of data		YYYY.MM.DD		PAINEXDT	TABLE 6
Relaxation and Psychotherapy	Overall Pain	Worst	2 nd Worst	3 rd Worst	
Biofeedback / Relaxation Training	OPBFRT	WBFRT	2WBFRT	3WBFRT	
Relaxation	OPRELAX	WRELAX	2WRELAX	3WRELAX	
Meditation	OPMEDT	WMEDT	2WMEDT	3WMEDT	
Mindfulness meditation	OPMIND	WMIND	2WMIND	3WMIND	
Hypnosis	OPHYPNOS	WHYPNOS	2WHYPNOS	3WHYPNOS	
Cognitive / Behavioral therapy	OPCGBVT	WCGBVT	2WCGBVT	3WCGBVT	
Other psychotherapy	OPOTHPSY	WOTHPSY	2WOTHPSY	3WOTHPSY	
Other, specify	OPRELOTH	OPRELSP	WRELOTH	WRELSP	2WRELOTH 2WRELSP
					3WRELOTH 3WRELSP

Relaxation: relaxation techniques, e.g., muscle relaxation or deep breathing
Meditation: meditation techniques, e.g., contrative, religious
Mindfulness meditation: meditation using mindfulness technique

Date for collection of data		YYYY.MM.DD		PAINEXDT	TABLE 7
Oral and topical medication	Overall Pain	Worst	2 nd Worst	3 rd Worst	
Antidepressants	OPANTDP	WANTDP	2WANTDP	3WANTDP	
Antiepileptics	OPANTEP	WANTEP	2WANTEP	3WANTEP	
Tramadol	OPTRMDL	WTRMDL	2WTRMDL	3WTRMDL	
Opioids	OPOPIOID	WOPIOID	2WOPIOID	3WOPIOID	
Cannabinoids	OPCANN	WCANN	2WCANN	3WCANN	
Acetaminophen	OPACET	WACET	2WACET	3WACET	
NSAIDS / aspirin	OPNSAID	WNSAID	2WNSAID	3WNSAID	
Benzodiazepines	OPBENZ	WBENZ	2WBENZ	3WBENZ	
Antispasticity drugs	OPANTSPD	WANTSPD	2WANTSPD	3WANTSPD	
Topical anesthetics	OPTPAN	WTPAN	2WTPAN	3WTPAN	
Topical capsaicin	OPTPCPN	WTPCPN	2WTPCPN	3WTPCPN	
Other, specify	OPMEDOTH	WMEDOTH	2WMEDOTH	3WMEDOTH	
	OPMEDSP	WMEDSP	2WMEDSP	3WMEDSP	

Antidepressants: amitriptyline, nortriptyline, duloxetine
Antiepileptics: pregabalin, gabapentin, carbamazepine
Opioids: morphine, oxycodone, buprenorphine, fentanyl
Cannabinoids: e.g., marijuana
NSAIDS/aspirin: ibuprofen, naproxen, celecoxib, meloxicam
Benzodiazepines: e.g., diazepam
Antispasticity drugs: e.g., baclofen, tizanidine
Topical anesthetics: e.g., lidocaine/lignocaine

Date for collection of data		YYYY.MM.DD		PAINEXDT	TABLE 8
Procedural interventions	Overall Pain	Worst	2 nd Worst	3 rd Worst	
Trigger point injection / dry needling	OPTPTINJ	WTPTINJ	2WTPTINJ	3WTPTINJ	
Acupuncture	OPACUPN	WACUPN	2WACUPN	3WACUPN	
Peripheral nerve / motor block	OPPNMB	WPNMB	2WPNMB	3WPNMB	
Joint injections	OPJTINJ	WJTINJ	2WJTINJ	3WJTINJ	
Intravenous lidocaine	OPINTLD	WINTLD	2WINTLD	3WINTLD	
Intravenous ketamine	OPKETMN	WKETMN	2WKETMN	3WKETMN	
Epidural block	OPEPBLCK	WEPBLCK	2WEPBLCK	3WEPBLCK	
Intrathecal pumps	OPINTPMP	WINTPMP	2WINTPMP	3WINTPMP	
Spinal cord stimulator	OPSPCSTM	WSPCSTM	2WSPCSTM	3WSPCSTM	
tDCS or rTMS	OPTDCS	WTDCS	2WTDCS	3WTDCS	
Percutaneous Peripheral Nerve Stimulation	OPPNNS	WPPNS	2WPPNS	3WPPNS	
	OPINTOTH	WPINTOTH	2WINTOTH	3WINTOTH	
Other, specify	OPINTSP	WPINTSP	2WINTSP	3WINTSP	

Peripheral nerve/motor point block: including alcohol, phenol, steroid, anesthetic blocks, botulinum toxin injection
 Joint injections: including shoulder, knee, facet joint, ilio-sacral
 Intrathecal pumps: including morphine, ziconotide, clonidine, baclofen
 tDCS/rTMS: Transcranial brain stimulation

Date for collection of data		YYYY.MM.DD		PAINEXDT	TABLE 9
Surgical interventions	Overall pain	Worst	2 nd Worst	3 rd Worst	
Dorsal root entry zone lesion	OPDREZL	WDREZL	2WDREZL	3WDREZL	
Spinal surgery	OPSPSURG	WSPSURG	2WSPSURG	3WSPSURG	
Deep brain stimulation	OPDBSTIM	WDBSTIM	2WDBSTIM	3WDBSTIM	
	OPSRGOTH	WSRGOTH	2WSRGOTH	3WSRGOTH	
Other, specify	OPSRGSP	WSRGSP	2WSRGSP	3WSRGSP	

Spinal surgery: including stabilization, rod removal, untethering the cord, shunt
 Deep brain stimulation: implanted brain electrodes

Date for collection of data		YYYY.MM.DD		PAINEXDT	TABLE 10
Other treatments	Overall pain	Worst	2 nd Worst	3 rd Worst	
Specify	OPOTTXSP	WOTTXSP	2WOTTXSP	3WOTTXSP	

TABLE 11

B. Current treatments For examples of treatments please see previous section (A. Past treatments)

Date for collection of data

YYYYMMDD

PAINEXT

Treatment	Dose	How Often	PGIC*	Side effects / Adverse events
CURRTX1	DOSE1	FREQ1	PGIC1	SEADVEV1
CURRTX2	DOSE2	FREQ2	PGIC2	SEADVEV2
CURRTX3	DOSE3	FREQ3	PGIC3	SEADVEV3
CURRTX4	DOSE4	FREQ4	PGIC4	SEADVEV4
CURRTX5	DOSE5	FREQ5	PGIC5	SEADVEV5
CURRTX6	DOSE6	FREQ6	PGIC6	SEADVEV6
CURRTX7	DOSE7	FREQ7	PGIC7	SEADVEV7

*PGIC – Patient Global Impression of Change: Indicate the effect of the treatment on your global well-being using one of the following descriptors:

(1) – Very much improved; (2) – Much improved; (3) – Minimally improved; (4) – No change; (5) – Minimally worse; (6) – Much worse; (7) – Very much worse

Proposed 8 Character Variables:				PAIN EXTENDED DATA SET VERSION 1.0 Table #1			
Data Element	Site	Subject	Date for collection of data	Number of days with pain in the last 7 days including today:	Worst pain intensity in the last week	Average pain unpleasantness in the last week	Number of days with manageable / tolerable pain in the last 7 days including today
Format/ Codes			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	None; 1; 2; 3; 4; 5; 6; 7; Unknown	0 no pain; 1; 2; 3; 4; 5; 6; 7; 8; 9; 10 the most intense pain imaginable	0 not at all unpleasant; 1; 2; 3; 4; 5; 6; 7; 8; 9; 10 the most unpleasant pain imaginable;	None; 1; 2; 3; 4; 5; 6; 7; Unknown
8 Character Variable	SITE	SUBJECT	PAINEXDT	PNDAYNO	PNINWEEK	PNAVUNPL	PNMGDNO
Table #	1,2,3	1,2,3	1,2,3	1	1	1	1
Comments/Suggested Revisions	Key	Key	Key				

Proposed 8 Character Variables:				PAIN EXTENDED DATA SET VERSION 1.0 Table #2											
Data Element	Site	Subject	Date for collection of data	Worst pain #1	Pain intensity in the present moment	How long does your pain usually last?	When during the day is your pain the most intense?	Worst pain #2	Pain intensity in the present moment	How long does your pain usually last?	When during the day is your pain the most intense?	Worst pain #3	Pain intensity in the present moment	How long does your pain usually last?	When during the day is your pain the most intense?
Format/ Codes			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Free-text	0 no pain; 1; 2; 3; 4; 5; 6; 7; 8; 9; 10 the most intense pain imaginable	≤1 min; > 1 min but <1hr; >1hr but <24hrs; > 24hrs; constant or continuous; Unknown	Morning (06.01-12.00); afternoon (12.01-18.00); evening (18.01-24.00); night (00.01-06.00); unpredictable (pain is not consistently more intense at any one time of day);	Free-text	0 no pain; 1; 2; 3; 4; 5; 6; 7; 8; 9; 10 the most intense pain imaginable	≤1 min; > 1 min but <1hr; >1hr but <24hrs; > 24hrs; constant or continuous; Unknown	Morning (06.01-12.00); afternoon (12.01-18.00); evening (18.01-24.00); night (00.01-06.00); unpredictable (pain is not consistently more intense at any one time of day);	Free-text	0 no pain; 1; 2; 3; 4; 5; 6; 7; 8; 9; 10 the most intense pain imaginable	≤1 min; > 1 min but <1hr; >1hr but <24hrs; > 24hrs; constant or continuous; Unknown	Morning (06.01-12.00); afternoon (12.01-18.00); evening (18.01-24.00); night (00.01-06.00); unpredictable (pain is not consistently more intense at any one time of day);
8 Character Variable	SITE	SUBJECT	PAINXDT	WRSTPAIN	WPNINTPR	WPNDUR	WPNTIME	2WSTPAIN	2NDINTPR	2NDDUR	2NDTIME	3WSTPAIN	3RDINTPR	3RDDUR	3RDTIME
Table #	1,2,3	1,2,3	1,2,3		1	1	1		1	1	1		1	1	1
Comments/Suggested Revisions	Key	Key	Key												

Proposed 8 Character Variables:																	
Data Element	Site	Subject	Date for collection of data	Dynamic light touch: At level of injury Normal	Dynamic light touch: At level of injury Absent	Dynamic light touch: At level of injury Hypoesthesia	Dynamic light touch: At level of injury Hyperesthesia	Dynamic light touch: At level of injury Allodynia	Dynamic light touch: At level of injury Other	Dynamic light touch: At level of injury Other, specify	Dynamic light touch: At level of injury Allodynia Intensity Rate	Dynamic light touch: Below level of injury Normal	Dynamic light touch: Below level of injury Absent	Dynamic light touch: Below level of injury Hypoesthesia	Dynamic light touch: Below level of injury Hyperesthesia	Dynamic light touch: Below level of injury Allodynia	Dynamic light touch: Below level of injury Other
Format/ Codes			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown	Free-text	0;1;2;3;4;5;6;7;;8;9;10	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown
8 Character Variable	SITE	SUBJECT	PAINEXDT	DLTANRM	DLTAABS	DLTAHYPO	DLTAHYPR	DLTAALLO	DLTAOTHR	DLTASP	DLTAINTA	DLTBNRM	DLTBABS	DLTBHYPO	DLTBHYPR	DLTBALLO	DLTBOTHR
Table #	1,2,3	1,2,3	1,2,3	2	2	2	2	2	2	2	2	2	2	2	2	2	2
Comments/Suggested Revisions	Key	Key	Key														

Proposed 8 Character Variables:				PAIN EXTENDED DATA SET VERSION 1.0 Table #3														
Data Element	Site	Subject	Date for collection of data	Dynamic light touch: Below level of injury Other, specify	Dynamic light touch: Below level of injury Allodynia Intensity Rate	Dynamic light touch: Left or right side can be noted here	Pinprick: At level of injury Normal	Pinprick: At level of injury Absent	Pinprick: At level of injury Hypoalgesia	Pinprick: At level of injury Hyperalgesia	Pinprick: At level of injury Other	Pinprick: At level of injury Other, specify	Pinprick: At level of injury Hyperalgesia Intensity Rate	Pinprick: Below level of injury Normal	Pinprick: Below level of injury Absent	Pinprick: Below level of injury Hypoalgesia	Pinprick: Below level of injury Hyperalgesia	Pinprick: Below level of injury Other
Format/ Codes			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Free-text	0;1;2;3;4;5;6;7;;8;9;10	Free-text	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown	Free-text	0;1;2;3;4;5;6;7;;8;9;10	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown
8 Character Variable	SITE	SUBJECT	PAINEXDT	DLTBSP	DLTBINTA	DLTLAT	PPANRM	PPAABS	PPAHYPOA	PPAHYPRA	PPAOTHR	PPASP	PPAINTHR	PPBNRM	PPBABS	PPBHYPOA	PPBHYPR	PPBOTHR
Table #	1,2,3	1,2,3	1,2,3	2	2	2	3	3	3	3	3	3	3	3	3	3	3	3
Comments/Suggested Revisions	Key	Key	Key															

Proposed 8 Character Variables:										
Data Element	Site	Subject	Date for collection of data	Pinprick: Below level of injury Other, specify	Pinprick: Below level of injury Allodynia Intensity Rate	Pinprick: Left or right side can be noted here	Cold: At level of injury Normal	Cold: At level of injury Absent	Cold: At level of injury Hypoesthesia	Cold: At level of injury Hyperesthesia
Format/ Codes			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Free-text	0;1;2;3;4;5;6;7;8;9; 10	Free-text	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown
8 Character Variable	SITE	SUBJECT	PAINEXDT	PPBSP	PPBINTHR	PPLAT	CLDANRM	CLDAABS	CLDAHPO	CLDAHPR
Table #	1,2,3	1,2,3	1,2,3	3	3	3	3	3	3	3
Comments/Suggested Revisions	Key	Key	Key							

Proposed 8 Character Variables:																
Data Element	Site	Subject	Date for collection of data	Cold: At level of injury Allodynia	Cold: At level of injury Other	Cold: At level of injury Other, specify	Cold: At level of injury Allodynia Intensity Rate	Cold: Below level of injury Normal	Cold: Below level of injury Absent	Cold: Below level of injury Hypoesthesia	Cold: Below level of injury Hyperesthesia	Cold: Below level of injury Allodynia	Cold: Below level of injury Other	Cold: Below level of injury Other, specify	Cold: Below level of injury Allodynia Intensity Rate	Cold: Left or right side can be noted here
Format/ Codes			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown	Free-text	0;1;2;3;4;5;6;7;;8;9; 10	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown	Yes; No; Uncertain / Unknown	Free-text	0;1;2;3;4;5;6;7;;8;9; 10	Free-text
8 Character Variable	SITE	SUBJECT	PAINEXDT	CLDAALLO	CLDAOTHR	CLDASP	CLDAINTA	CLDBNRM	CLDBABS	CLDBHYPO	CLDBHYPR	CLDBALLO	CLDBOTHR	CLDBSP	CLDBINTA	CLDLAT
Table #	1,2,3	1,2,3	1,2,3	3	3	3	3	3	3	3	3	3	3	3	3	3
Comments/Suggested Revisions	Key	Key	Key													

Proposed 8 Character Variables:				PAIN EXTENDED DATA SET VERSION 1.0 TABLE #4														
Data Element	Site	Subject	Date for collection of data	Past Treatments Physiotherapy: Aerobic Exercise overall pain	Past Treatments Physiotherapy: Aerobic Exercise worst pain	Past Treatments Physiotherapy: Aerobic Exercise 2nd worst pain	Past Treatments Physiotherapy: Aerobic Exercise 3rd worst pain	Past Treatments Physiotherapy: Passive exercise overall pain	Past Treatments Physiotherapy: Passive exercise worst pain	Past Treatments Physiotherapy: Passive exercise 2nd worst pain	Past Treatments Physiotherapy: Passive exercise 3rd worst pain	Past Treatments Physiotherapy: Resistance exercise overall pain	Past Treatments Physiotherapy: Resistance exercise worst pain	Past Treatments Physiotherapy: Resistance exercise 2nd worst pain	Past Treatments Physiotherapy: Resistance exercise 3rd worst pain	Past Treatments Physiotherapy: Position adjustment overall pain	Past Treatments Physiotherapy: Position adjustment worst pain	Past Treatments Physiotherapy: Position adjustment 2nd worst pain
Format/ Codes			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;
8 Character Variable	SITE	SUBJECT	PAINEXDT	OPAEROEX	WPAEROEX	2PAEROEX	3PAEROEX	OPPASSEX	WPPASSEX	2PPASSEX	3PPASSEX	OPPRESEX	WPPRESEX	2PPRESEX	3PPRESEX	OPPOSADJ	WPPOSADJ	2PPOSADJ
Table #	1,2,3	1,2,3	1,2,3	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
Comments/Suggested Revisions	Key	Key	Key															

Proposed 8 Character Variables:																		
Data Element	Site	Subject	Date for collection of data	Past Treatments Physiotherapy: Position adjustment 3rd worst pain	Past Treatments Physiotherapy: Joint mobilization / manipulation overall pain	Past Treatments Physiotherapy: Joint mobilization / manipulation worst pain	Past Treatments Physiotherapy: Joint mobilization / manipulation 2nd worst pain	Past Treatments Physiotherapy: Joint mobilization / manipulation 3rd worst pain	Past Treatments Physiotherapy: Other overall pain	Past Treatments Physiotherapy: Other worst pain	Past Treatments Physiotherapy: Other 2nd worst pain	Past Treatments Physiotherapy: Other 3rd worst pain	Past Treatments Physiotherapy: Other, specify overall pain	Past Treatments Physiotherapy: Other, specify worst pain	Past Treatments Physiotherapy: Other, specify 2nd worst pain	Past Treatments Physiotherapy: Other, specify 3rd worst pain	Past Treatments Passive and stimulation therapy: Massage overall pain	Past Treatments Passive and stimulation therapy: Massage worst pain
Format/ Codes			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Free-text	Free-text	Free-text	Free-text	Y:N:U;	Y:N:U;
8 Character Variable	SITE	SUBJECT	PAINEXDT	3PPOSADJ	OPJTMOBP	WPJTMOBP	2PJTMOBP	3PJTMOBP	OPPHOTH	WPPHOTH	2PPHOTH	3PPHOTH	OPPHSP	WPPHSP	2PPHSP	3PPHSP	OPMASSG	WPMASSG
Table #	1,2,3	1,2,3	1,2,3	4	4	4	4	4	4	4	4	4	4	4	4	4	5	5
Comments/Suggested Revisions	Key	Key	Key															

Proposed 8 Character Variables:				PAIN EXTENDED DATA SET VERSION 1.0 TABLE #5													
Data Element	Site	Subject	Date for collection of data	Past Treatments Passive and stimulation therapy: Massage 2nd worst pain	Past Treatments Passive and stimulation therapy: Massage 3rd worst pain	Past Treatments Passive and stimulation therapy: Acupressure overall pain	Past Treatments Passive and stimulation therapy: Acupressure worst pain	Past Treatments Passive and stimulation therapy: Acupressure 2nd worst pain	Past Treatments Passive and stimulation therapy: Acupressure 3rd worst pain	Past Treatments Passive and stimulation therapy: Transcutaneous electrical nerve stimulation overall pain	Past Treatments Passive and stimulation therapy: Transcutaneous electrical nerve stimulation worst pain	Past Treatments Passive and stimulation therapy: Transcutaneous electrical nerve stimulation 2nd worst pain	Past Treatments Passive and stimulation therapy: Transcutaneous electrical nerve stimulation 3rd worst pain	Past Treatments Passive and stimulation therapy: Ultrasound overall pain	Past Treatments Passive and stimulation therapy: Ultrasound worst pain	Past Treatments Passive and stimulation therapy: Ultrasound 2nd worst pain	Past Treatments Passive and stimulation therapy: Ultrasound 3rd worst pain
Format/ Codes			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Y;N;U;	Y;N;U;	Y;N;U;	Y;N;U;	Y;N;U;	Y;N;U;	Y;N;U;	Y;N;U;	Y;N;U;	Y;N;U;	Y;N;U;	Y;N;U;	Y;N;U;	Y;N;U;
8 Character Variable	SITE	SUBJECT	PAINEXDT	2WMASSG	3WMASSG	OPACPRS	WACPRS	2WACPRS	3WACPRS	OPTENS	WTENS	2WTENS	3WTENS	OPULTRSN	WULTRSN	2WULTRSN	3WULTRSN
Table #	1,2,3	1,2,3	1,2,3	5	5	5	5	5	5	5	5	5	5	5	5	5	5
Comments/Suggested Revisions	Key	Key	Key														

Proposed 8 Character Variables:																		
Data Element	Site	Subject	Date for collection of data	Past Treatments Passive and stimulation therapy: Laser overall pain	Past Treatments Passive and stimulation therapy: Laser worst pain	Past Treatments Passive and stimulation therapy: Laser 2nd worst pain	Past Treatments Passive and stimulation therapy: Laser 3rd worst pain	Past Treatments Passive and stimulation therapy: Heat therapy overall pain	Past Treatments Passive and stimulation therapy: Heat therapy worst pain	Past Treatments Passive and stimulation therapy: Heat therapy 2nd worst pain	Past Treatments Passive and stimulation therapy: Heat therapy 3rd worst pain	Past Treatments Passive and stimulation therapy: Other overall pain	Past Treatments Passive and stimulation therapy: Other worst pain	Past Treatments Passive and stimulation therapy: Other 2nd worst pain	Past Treatments Passive and stimulation therapy: Other 3rd worst pain	Past Treatments Passive and stimulation therapy: Other, specify overall pain	Past Treatments Passive and stimulation therapy: Other, specify worst pain	Past Treatments Passive and stimulation therapy: Other, specify 2nd worst pain
Format/ Codes			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Free-text	Free-text	Free-text
8 Character Variable	SITE	SUBJECT	PAINEXDT	OPLASER	WLASER	2WLASER	3WLASER	OPHTTHR	WHHTTHR	2WHHTTHR	3WHHTTHR	OPASOTH	WPASOTH	2WPASOTH	3WPASOTH	OPASSP	WPASSP	2WPASSP
Table #	1,2,3	1,2,3	1,2,3	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
Comments/Suggested Revisions	Key	Key	Key															

Proposed 8 Character Variables:				
Data Element	Site	Subject	Date for collection of data	Past Treatments Passive and stimulation therapy; Other, specify 3rd worst pain
Format/ Codes			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Free-text
8 Character Variable	SITE	SUBJECT	PAINEXDT	3WPASSP
Table #	1,2,3	1,2,3	1,2,3	5
Comments/Suggested Revisions	Key	Key	Key	

Proposed 8 Character Variables:																			
Data Element	Site	Subject	Date for collection of data	Past Treatments Relaxation and Psychotherapy: Biofeedback / relaxation training overall pain	Past Treatments Relaxation and Psychotherapy: Biofeedback / relaxation training worst pain	Past Treatments Relaxation and Psychotherapy: Biofeedback / relaxation training 2nd worst pain	Past Treatments Relaxation and Psychotherapy: Biofeedback / relaxation training 3rd worst pain	Past Treatments Relaxation and Psychotherapy: Relaxation overall pain	Past Treatments Relaxation and Psychotherapy: Relaxation worst pain	Past Treatments Relaxation and Psychotherapy: Relaxation 2nd worst pain	Past Treatments Relaxation and Psychotherapy: Relaxation 3rd worst pain	Past Treatments Relaxation and Psychotherapy: Meditation overall pain	Past Treatments Relaxation and Psychotherapy: Meditation worst pain	Past Treatments Relaxation and Psychotherapy: Meditation 2nd worst pain	Past Treatments Relaxation and Psychotherapy: Meditation 3rd worst pain	Past Treatments Relaxation and Psychotherapy: Mindfulness Meditation overall pain	Past Treatments Relaxation and Psychotherapy: Mindfulness Meditation worst pain	Past Treatments Relaxation and Psychotherapy: Mindfulness Meditation 2nd worst pain	
Format / Codes			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;
8 Character Variable	SITE	SUBJECT	PAINEXDT	OPBFRT	WBFRT	2WBFRT	3WBFRT	OPRELAX	WRELAX	2WRELAX	3WRELAX	OPMEDIT	WMEDIT	2WMEDIT	3WMEDIT	OPMIND	WMIND	2WMIND	
Table #	1,2,3	1,2,3	1,2,3	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	
Comments/Suggested Revisions	Key	Key	Key																

Proposed 8 Character Variables:				PAIN EXTENDED DATA SET VERSION 1.0 TABLE #6															
Data Element	Site	Subject	Date for collection of data	Past Treatments Relaxation and Psychotherapy: Mindfulness Meditation 3rd worst pain	Past Treatments Relaxation and Psychotherapy: Hypnosis overall pain	Past Treatments Relaxation and Psychotherapy: Hypnosis worst pain	Past Treatments Relaxation and Psychotherapy: Hypnosis 2nd worst pain	Past Treatments Relaxation and Psychotherapy: Hypnosis 3rd worst pain	Past Treatments Relaxation and Psychotherapy: Cognitive / Behavioral Therapy overall pain	Past Treatments Relaxation and Psychotherapy: Cognitive / Behavioral Therapy worst pain	Past Treatments Relaxation and Psychotherapy: Cognitive / Behavioral Therapy 2nd worst pain	Past Treatments Relaxation and Psychotherapy: Cognitive / Behavioral Therapy 3rd worst pain	Past Treatments Relaxation and Psychotherapy: Other Psychotherapy overall pain	Past Treatments Relaxation and Psychotherapy: Other Psychotherapy worst pain	Past Treatments Relaxation and Psychotherapy: Other Psychotherapy 2nd worst pain	Past Treatments Relaxation and Psychotherapy: Other Psychotherapy 3rd worst pain	Past Treatments Relaxation and Psychotherapy: Other Psychotherapy overall pain	Past Treatments Relaxation and Psychotherapy: Other Psychotherapy worst pain	
Format/ Codes			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Y:N:U;:	Y:N:U;:	Y:N:U;:	Y:N:U;:	Y:N:U;:	Y:N:U;:	Y:N:U;:	Y:N:U;:	Y:N:U;:	Y:N:U;:	Y:N:U;:	Y:N:U;:	Y:N:U;:	Y:N:U;:	Y:N:U;:	Y:N:U;:
8 Character Variable	SITE	SUBJECT	PAINEXDT	3WMIND	OPHYPNOS	WHYPNOS	2WHYPNOS	3WHYPNOS	OPCGBVT	WCGBVT	2WCGBVT	3WCGBVT	OPOTHPSY	WOTHPSY	2WOTHPSY	3WOTHPSY	OPRELOTH	WRELOTH	
Table #	1,2,3	1,2,3	1,2,3	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	
Comments/Suggested Revisions	Key	Key	Key																

Proposed 8 Character Variables:									
Data Element	Site	Subject	Date for collection of data	Past Treatments Relaxation and Psychotherapy: Other Psychotherapy: Other 2nd worst pain	Past Treatments Relaxation and Psychotherapy: Other Psychotherapy: Other 3rd worst pain	Past Treatments Relaxation and Psychotherapy: Other, specify overall pain	Past Treatments Relaxation and Psychotherapy: Other, specify worst pain	Past Treatments Relaxation and Psychotherapy: Other, specify 2nd worst pain	Past Treatments Relaxation and Psychotherapy: Other, specify 3rd worst pain
			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Y;N;U;;	Y;N;U;;	Free-text	Free-text	Free-text	Free-text
8 Character Variable	SITE	SUBJECT	PAINEXDT	2WRELOTH	3WRELOTH	OPRELSP	WRELSP	2WRELSP	3WRELSP
Table #	1,2,3	1,2,3	1,2,3	6	6	6	6	6	6
Comments/Suggested Revisions	Key	Key	Key						

Proposed 8 Character Variables:																			
Data Element	Site	Subject	Date for collection of data	Past Treatments Oral and topical medication: Antidepressants overall pain	Past Treatments Oral and topical medication: Antidepressants worst pain	Past Treatments Oral and topical medication: Antidepressants 2nd worst pain	Past Treatments Oral and topical medication: Antidepressants 3rd worst pain	Past Treatments Oral and topical medication: Antiepileptics overall pain	Past Treatments Oral and topical medication: Antiepileptics worst pain	Past Treatments Oral and topical medication: Antiepileptics 2nd worst pain	Past Treatments Oral and topical medication: Antiepileptics 3rd worst pain	Past Treatments Oral and topical medication: Tramadol overall pain	Past Treatments Oral and topical medication: Tramadol worst pain	Past Treatments Oral and topical medication: Tramadol 2nd worst pain	Past Treatments Oral and topical medication: Tramadol 3rd worst pain	Past Treatments Oral and topical medication: Opioids overall pain	Past Treatments Oral and topical medication: Opioids worst pain	Past Treatments Oral and topical medication: Opioids 2nd worst pain	
Format/ Codes			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;
8 Character Variable	SITE	SUBJECT	PAINEXDT	OPANTDP	WANTDP	2WANTDP	3WANTDP	OPANTEP	WANTEP	2WANTEP	3WANTEP	OPTRMDL	WTRMDL	2WTRMDL	3WTRMDL	OPOPIOID	WOPIOID	2WOPIOID	
Table #	1,2,3	1,2,3	1,2,3	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	
Comments/Suggested Revisions	Key	Key	Key																

Proposed 8 Character Variables:				PAIN EXTENDED DATA SET VERSION 1.0 TABLE #7														
Data Element	Site	Subject	Date for collection of data	Past Treatments Oral and topical medication: Opioids 3rd worst pain	Past Treatments Oral and topical medication: Cannabinoids overall pain	Past Treatments Oral and topical medication: Cannabinoids worst pain	Past Treatments Oral and topical medication: Cannabinoids 2nd worst pain	Past Treatments Oral and topical medication: Cannabinoids 3rd worst pain	Past Treatments Oral and topical medication: Acetaminophen / paracetamol overall pain	Past Treatments Oral and topical medication: Acetaminophen / paracetamol worst pain	Past Treatments Oral and topical medication: Acetaminophen / paracetamol 2nd worst pain	Past Treatments Oral and topical medication: Acetaminophen / paracetamol 3rd worst pain	Past Treatments Oral and topical medication: NSAIDs / aspirin overall pain	Past Treatments Oral and topical medication: NSAIDs / aspirin worst pain	Past Treatments Oral and topical medication: NSAIDs / aspirin 2nd worst pain	Past Treatments Oral and topical medication: NSAIDs / aspirin 3rd worst pain	Past Treatments Oral and topical medication: Benzodiazepines overall pain	Past Treatments Oral and topical medication: Benzodiazepines worst pain
Format/ Codes			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;	Y:N:U;;
8 Character Variable	SITE	SUBJECT	PAINEXDT	3WOPIOID	OPCANN	WCANN	2WCANN	3WCANN	OPACET	WACET	2WACET	3WACET	OPNSAID	WNSAID	2WNSAID	3WNSAID	OPBENZ	WBENZ
Table #	1,2,3	1,2,3	1,2,3	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
Comments/Suggested Revisions	Key	Key	Key															

Proposed 8 Character Variables:																		
Data Element	Site	Subject	Date for collection of data	Past Treatments Oral and topical medication: Benzodiazepines 2nd worst pain	Past Treatments Oral and topical medication: Benzodiazepines 3rd worst pain	Past Treatments Oral and topical medication: Antispasticity drugs overall pain	Past Treatments Oral and topical medication: Antispasticity drugs worst pain	Past Treatments Oral and topical medication: Antispasticity drugs 2nd worst pain	Past Treatments Oral and topical medication: Antispasticity drugs 3rd worst pain	Past Treatments Oral and topical medication: Topical anesthetics overall pain	Past Treatments Oral and topical medication: Topical anesthetics worst pain	Past Treatments Oral and topical medication: Topical anesthetics 2nd worst pain	Past Treatments Oral and topical medication: Topical anesthetics 3rd worst pain	Past Treatments Oral and topical medication: Topical capsaicin overall pain	Past Treatments Oral and topical medication: Topical capsaicin worst pain	Past Treatments Oral and topical medication: Topical capsaicin 2nd worst pain	Past Treatments Oral and topical medication: Topical capsaicin 3rd worst pain	Past Treatments Oral and topical medication: Other overall pain
Format/ Codes			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Y:N;U;	Y:N;U;	Y:N;U;	Y:N;U;	Y:N;U;	Y:N;U;	Y:N;U;	Y:N;U;	Y:N;U;	Y:N;U;	Y:N;U;	Y:N;U;	Y:N;U;	Y:N;U;	Y:N;U;
8 Character Variable	SITE	SUBJECT	PAINEXDT	2WBENZ	3WBENZ	OPANTSPD	1WANTSPD	2WANTSPD	3WANTSPD	OPTPAN	WTPAN	2WTPAN	3WTPAN	OPTPCPN	WTPCPN	2WTPCPN	3WTPCPN	OPMEDOTH
Table #	1,2,3	1,2,3	1,2,3	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
Comments/Suggested Revisions	Key	Key	Key															

Proposed 8 Character Variables:										
Data Element	Site	Subject	Date for collection of data	Past Treatments Oral and topical medication: Other worst pain	Past Treatments Oral and topical medication: Other 2nd worst pain	Past Treatments Oral and topical medication: Other 3rd worst pain	Past Treatments Oral and topical medication: Other, specify overall pain	Past Treatments Oral and topical medication: Other, specify worst pain	Past Treatments Oral and topical medication: Other, specify 2nd worst pain	Past Treatments Oral and topical medication: Other, specify 3rd worst pain
			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown							
Format/ Codes				Y;N;U;	Y;N;U;	Y;N;U;	Free-text	Free-text	Free-text	Free-text
8 Character Variable	SITE	SUBJECT	PAINEXDT	WMEDOTH	2WMEDOTH	3WMEDOTH	OPMEDSP	WMEDSP	2WMEDSP	3WMEDSP
Table #	1,2,3	1,2,3	1,2,3	7	7	7	7	7	7	7
Comments/Suggested Revisions	Key	Key	Key							

Proposed 8 Character Variables:																			
Data Element	Site	Subject	Date for collection of data	Past Treatments Procedural interventions: Trigger point injection/dry needling overall pain	Past Treatments Procedural interventions: Trigger point injection/dry needling worst pain	Past Treatments Procedural interventions: Trigger point injection/dry needling 2nd worst pain	Past Treatments Procedural interventions: Trigger point injection/dry needling 3rd worst pain	Past Treatments Procedural interventions: Acupuncture overall pain	Past Treatments Procedural interventions: Acupuncture worst pain	Past Treatments Procedural interventions: Acupuncture 2nd worst pain	Past Treatments Procedural interventions: Acupuncture 3rd worst pain	Past Treatments Procedural interventions: Peripheral nerve / motor point block overall pain	Past Treatments Procedural interventions: Peripheral nerve / motor point block worst pain	Past Treatments Procedural interventions: Peripheral nerve / motor point block 2nd worst pain	Past Treatments Procedural interventions: Peripheral nerve / motor point block 3rd worst pain	Past Treatments Procedural interventions: Joint injections overall pain	Past Treatments Procedural interventions: Joint injections worst pain	Past Treatments Procedural interventions: Joint injections 2nd worst pain	
Format/ Codes			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;
8 Character Variable	SITE	SUBJECT	PAINEXDT	OPTPTINJ	WTPPTINJ	2WTPPTINJ	3WTPPTINJ	OPACUPN	WACUPN	2WACUPN	3WACUPN	OPPNMB	WPNMB	2WPNMB	3WPNMB	OPJTINJ	WJTINJ	2WJTINJ	
Table #	1,2,3	1,2,3	1,2,3	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	
Comments/Suggested Revisions	Key	Key	Key																

Proposed 8 Character Variables:				PAIN EXTENDED DATA SET VERSION 1.0 TABLE #8														
Data Element	Site	Subject	Date for collection of data	Past Treatments Procedural interventions: Joint injections 3rd worst pain	Past Treatments Procedural interventions: Intravenous lidocaine overall pain	Past Treatments Procedural interventions: Intravenous lidocaine worst pain	Past Treatments Procedural interventions: Intravenous lidocaine 2nd worst pain	Past Treatments Procedural interventions: Intravenous lidocaine 3rd worst pain	Past Treatments Procedural interventions: Intravenous ketamine overall pain	Past Treatments Procedural interventions: Intravenous ketamine worst pain	Past Treatments Procedural interventions: Intravenous ketamine 2nd worst pain	Past Treatments Procedural interventions: Intravenous ketamine 3rd worst pain	Past Treatments Procedural interventions: Epidural block overall pain	Past Treatments Procedural interventions: Epidural block worst pain	Past Treatments Procedural interventions: Epidural block 2nd worst pain	Past Treatments Procedural interventions: Epidural block 3rd worst pain	Past Treatments Procedural interventions: Intrathecal pumps overall pain	Past Treatments Procedural interventions: Intrathecal pumps worst pain
Format/ Codes			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Y:N;U;	Y:N;U;	Y:N;U;	Y:N;U;	Y:N;U;	Y:N;U;	Y:N;U;	Y:N;U;	Y:N;U;	Y:N;U;	Y:N;U;	Y:N;U;	Y:N;U;	Y:N;U;	Y:N;U;
8 Character Variable	SITE	SUBJECT	PAINEXDT	3WJTINJ	OPINTLD	WINTLD	2WINTLD	3WINTLD	OPKETMN	WKETMN	2WKETMN	3WKETMN	OPEPBLCK	WEPBLCK	2WEPBLCK	3WEPBLCK	OPINTPMP	WINTPMP
Table #	1,2,3	1,2,3	1,2,3	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
Comments/Suggested Revisions	Key	Key	Key															

Proposed 8 Character Variables:																		
Data Element	Site	Subject	Date for collection of data	Past Treatments Procedural interventions: Intrathecal pumps 2nd worst pain	Past Treatments Procedural interventions: Intrathecal pumps 3rd worst pain	Past Treatments Procedural interventions: Spinal cord stimulator overall pain	Past Treatments Procedural interventions: Spinal cord stimulator worst pain	Past Treatments Procedural interventions: Spinal cord stimulator 2nd worst pain	Past Treatments Procedural interventions: Spinal cord stimulator 3rd worst pain	Past Treatments Procedural interventions: Transcranial brain stimulation overall pain	Past Treatments Procedural interventions: Transcranial brain stimulation worst pain	Past Treatments Procedural interventions: Transcranial brain stimulation 2nd worst pain	Past Treatments Procedural interventions: Transcranial brain stimulation 3rd worst pain	Past Treatments Procedural interventions: Percutaneous Peripheral Nerve Stimulation overall pain	Past Treatments Procedural interventions: Percutaneous Peripheral Nerve Stimulation worst pain	Past Treatments Procedural interventions: Percutaneous Peripheral Nerve Stimulation 2nd worst pain	Past Treatments Procedural interventions: Percutaneous Peripheral Nerve Stimulation 3rd worst pain	Past Treatments Procedural interventions: Other overall pain
Format/ Codes			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;
8 Character Variable	SITE	SUBJECT	PAINEXDT	2WINTPMP	3WINTPMP	OPSPCSTM	WSPCSTM	2WSPCSTM	3WSPCSTM	OPTDCS	WTDCS	2WTDCS	3WTDCS	OPPPNS	WPPNS	2WPPNS	3WPPNS	OPINTOTH
Table #	1,2,3	1,2,3	1,2,3	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
Comments/Suggested Revisions	Key	Key	Key															

Proposed 8 Character Variables:										
Data Element	Site	Subject	Date for collection of data	Past Treatments Procedural interventions: Other worst pain	Past Treatments Procedural interventions: Other 2nd worst pain	Past Treatments Procedural interventions: Other 3rd worst pain	Past Treatments Procedural interventions: Other, specify overall pain	Past Treatments Procedural interventions: Other, specify worst pain	Past Treatments Procedural interventions: Other, specify 2nd worst pain	Past Treatments Procedural interventions: Other, specify 3rd worst pain
Format/ Codes			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Y;N;U;	Y;N;U;	Y;N;U;	Free-text	Free-text	Free-text	Free-text
8 Character Variable	SITE	SUBJECT	PAINEXDT	WPINTOTH	2WINTOTH	3WINTOTH	OPINTSP	WPINTSP	2WINTSP	3WINTSP
Table #	1,2,3	1,2,3	1,2,3	8	8	8	8	8	8	8
Comments/Suggested Revisions	Key	Key	Key							

Proposed 8 Character Variables:				PAIN EXTENDED DATA SET VERSION 1.0 TABLE #9														
Data Element	Site	Subject	Date for collection of data	Past Treatments Surgical interventions: Dorsal root entry zone lesion overall pain	Past Treatments Surgical interventions: Dorsal root entry zone lesion worst pain	Past Treatments Surgical interventions: Dorsal root entry zone lesion 2nd worst pain	Past Treatments Surgical interventions: Dorsal root entry zone lesion 3rd worst pain	Past Treatments Surgical interventions: Spinal surgery overall pain	Past Treatments Surgical interventions: Spinal surgery worst pain	Past Treatments Surgical interventions: Spinal surgery 2nd worst pain	Past Treatments Surgical interventions: Spinal surgery 3rd worst pain	Past Treatments Surgical interventions: Deep brain stimulation overall pain	Past Treatments Surgical interventions: Deep brain stimulation worst pain	Past Treatments Surgical interventions: Deep brain stimulation 2nd worst pain	Past Treatments Surgical interventions: Deep brain stimulation 3rd worst pain	Past Treatments Surgical interventions: Other overall pain	Past Treatments Surgical interventions: Other worst pain	Past Treatments Surgical interventions: Other 2nd worst pain
Format/ Codes			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;	Y:N:U;
8 Character Variable	SITE	SUBJECT	PAINEXDT	OPDREZL	WDREZL	2WDREZL	3WDREZL	OPSPSURG	WSPSURG	2WSPSURG	3WSPSURG	OPDBSTIM	WDBSTIM	2WDBSTIM	3WDBSTIM	OPSRGOTH	WSRGOTH	2WSRGOTH
Table #	1,2,3	1,2,3	1,2,3	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
Comments/Suggested Revisions	Key	Key	Key															

Proposed 8 Character Variables:				PAIN EXTENDED DATA SET VERSION 1.0 TABLE #10														
Data Element	Site	Subject	Date for collection of data	Past Treatments Surgical interventions: Other 3rd worst pain	Past Treatments Surgical interventions: Other, specify overall pain	Past Treatments Surgical interventions: Other, specify worst pain	Past Treatments Surgical interventions: Other, specify 2nd worst pain	Past Treatments Surgical interventions: Other, specify 3rd worst pain	Past Treatments Other treatments: Specify overall pain	Past Treatments Other treatments: Specify worst pain	Past Treatments Other treatments: Specify 2nd worst pain	Past Treatments Other treatments: Specify 3rd worst pain	Current Treatments: Treatment 1	Current Treatments: Treatment 2	Current Treatments: Treatment 3	Current Treatments: Treatment 4	Current Treatments: Treatment 5	Current Treatments: Treatment 6
Format/ Codes			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Y;N;U;	Free-text	Free-text	Free-text	Free-text	Free-text	Free-text	Free-text	Free-text	Free-text	Free-text	Free-text	Free-text	Free-text	Free-text
8 Character Variable	SITE	SUBJECT	PAINEXDT	3WSRGOTH	OPSRGSP	WSRGSP	2WSRGSP	3WSRGSP	OPOTTXSP	WOTTXSP	2WOTTXSP	3WOTTXSP	CURRTX1	CURRTX2	CURRTX3	CURRTX4	CURRTX5	CURRTX6
Table #	1,2,3	1,2,3	1,2,3	9	9	9	9	9	10	10	10	10	11	11	11	11	11	11
Comments/Suggested Revisions	Key	Key	Key															

Proposed 8 Character Variables:				PAIN EXTENDED DATA SET VERSION 1.0 TABLE #11														
Data Element	Site	Subject	Date for collection of data	Current Treatments: Treatment 7	Current Treatments: Dose 1	Current Treatments: Dose 2	Current Treatments: Dose 3	Current Treatments: Dose 4	Current Treatments: Dose 5	Current Treatments: Dose 6	Current Treatments: Dose 7	Current Treatments: How often 1	Current Treatments: How often 2	Current Treatments: How often 3	Current Treatments: How often 4	Current Treatments: How often 5	Current Treatments: How often 6	Current Treatments: How often 7
Format/ Codes			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Free-text	Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	Numeric (YYYY.MM.DD) 9999-99-99 = Unknown
8 Character Variable	SITE	SUBJECT	PAINEXDT	CURRTX7	DOSE1	DOSE2	DOSE3	DOSE4	DOSE5	DOSE6	DOSE7	FREQ1	FREQ2	FREQ3	FREQ4	FREQ5	FREQ6	FREQ7
Table #	1,2,3	1,2,3	1,2,3	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
Comments/Suggested Revisions	Key	Key	Key															

Proposed 8 Character Variables:											
Data Element	Site	Subject	Date for collection of data	Current Treatments: PGIC 1	Current Treatments: PGIC 2	Current Treatments: PGIC 3	Current Treatments: PGIC 4	Current Treatments: PGIC 5	Current Treatments: PGIC 6	Current Treatments: PGIC 7	Current Treatments: Side effects/adverse events 1
Format/ Codes			Numeric (YYYY.MM.DD) 9999-99-99 = Unknown	1: Very much improved; 2: Much improved; 3: Minimally improved; 4: No change; 5: Minimally worse; 6: Much worse; 7: Very much worse;	1: Very much improved; 2: Much improved; 3: Minimally improved; 4: No change; 5: Minimally worse; 6: Much worse; 7: Very much worse;	1: Very much improved; 2: Much improved; 3: Minimally improved; 4: No change; 5: Minimally worse; 6: Much worse; 7: Very much worse;	1: Very much improved; 2: Much improved; 3: Minimally improved; 4: No change; 5: Minimally worse; 6: Much worse; 7: Very much worse;	1: Very much improved; 2: Much improved; 3: Minimally improved; 4: No change; 5: Minimally worse; 6: Much worse; 7: Very much worse;	1: Very much improved; 2: Much improved; 3: Minimally improved; 4: No change; 5: Minimally worse; 6: Much worse; 7: Very much worse;	1: Very much improved; 2: Much improved; 3: Minimally improved; 4: No change; 5: Minimally worse; 6: Much worse; 7: Very much worse;	Free-text
8 Character Variable	SITE	SUBJECT	PAINEXDT	PGIC1	PGIC2	PGIC3	PGIC4	PGIC5	PGIC6	PGIC7	SEADVEV1
Table #	1,2,3	1,2,3	1,2,3	11	11	11	11	11	11	11	11
Comments/Suggested Revisions	Key	Key	Key								